



DÉTACHANT DÉGRAISSANT AQUAN[®]
Code: B10082T



Version: 2 Revision: 05/11/2020

Previous revision: 16/10/2017

Date of printing: 05/11/2020

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	PRODUCT IDENTIFIER: DÉTACHANT DÉGRAISSANT AQUAN [®] Code: B10082T	
1.2	RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST: Intended uses/main technical functions: WASHING DETERGENT/WET CLEANING SYSTEM Uses advised against: This product is not recommended for any use or sector of use (industrial, professional or consumer) other than those previously listed as 'Intended or identified uses'. Restrictions on manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006: Not restricted.	<input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Professional <input type="checkbox"/> Consumers
1.3	DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET: EASYP <small>RO</small> BP70539 - 81107 Castres Cedex (FRANCE) Phone: +33(0)563626191 - Fax: +33(0)563627034 Email address of the person responsible for the Safety Data Sheet: e-mail: info@easpro.fr	
1.4	EMERGENCY TELEPHONE NUMBER: +33(0)563626191 (8:00-13:00 / 15:00-18:00 h.) (working hours)	

SECTION 2 : HAZARDS IDENTIFICATION

2.1	<u>CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:</u> Classification of mixtures is carried out in accordance with the following principles: a) when data (tests) for the classification of mixtures are available, generally is carried out based on these data, b) in the absence of data (tests) for mixtures are generally used interpolation or extrapolation methods of assessing the risk, using the available data for mixtures similarly classified, and c) in the absence of tests and information which would allow to apply interpolation or extrapolation techniques, methods are used to classify risk assessment based on the data of the individual components in the mixture. <u># Classification in accordance with Regulation (EU) No. 1272/2008-2020/217 (CLP):</u> DANGER: Acute Tox (oral)4H302 Eye Dam.1H318 Aquatic Chronic3H412					
	Danger class	Classification of the mixture	Cat.	Routes of exposure	Target organs	Effects
	Physical/chemical: Not classified	Acute Tox (oral)4H302 Eye Dam.1H318 Aquatic Chronic3H412	c c c	Cat4 Cat1 Cat3	Ingestion Eyes -	- Eyes -
	Human health: 					
	Environment:					

Full text of hazard statements mentioned is indicated in section 16.

Note: When in section 3 a range of percentages is used, the health and environmental hazards describe the effects of the highest concentration of each component, but below the maximum value.

2.2	<u>LABEL ELEMENTS:</u> <u>Hazard statements:</u> H302 Harmful if swallowed. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. <u>Precautionary statements:</u> P102 Keep out of reach of children. P280B Wear protective gloves and eye protection. P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P330 Rinse mouth. P305+P351+P338-P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. P273-P501a Avoid release to the environment. Dispose of content/container in accordance with local regulations. <u>Supplementary statements:</u> EUH208 Contains mixture C1 EC 247-500-7 MTEC 220-239-6 (3:1). May produce an allergic reaction. EUD011 Do not swallow. <u>Substances that contribute to classification:</u> Alcohol C12-13 branched and linear ethoxylated(10) Mixture C1 EC 247-500-7 MTEC 220-239-6 (3:1)
-----	---

2.3	<u>OTHER HAZARDS:</u> Hazards which do not result in classification but which may contribute to the overall hazards of the mixture: <u>Other physical/chemical hazards:</u> No other relevant adverse effects are known. <u>Other adverse human health effects:</u> No other relevant adverse effects are known. <u>Other negative environmental effects:</u> Does not contain substances that fulfill the PBT/vPvB criteria.
-----	---



DÉTACHANT DÉGRAISSANT AQUAN®
Code: B10082T



SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.1	<p>SUBSTANCES: Not applicable (mixture).</p>		
3.2	<p>MIXTURES: This product is a mixture. Chemical description: Solution of inorganic and organic chemical substances in aqueous media. HAZARDOUS INGREDIENTS: Substances taking part in a percentage higher than the exemption limit:</p>		
	<p>25 < 30% Alcohol C12-13 branched and linear ethoxylated(10) CAS: 160901-19-9, EC: Polymer CLP: Danger: Acute Tox (oral) 4H302 Eye Dam. 1H318 Aquatic Chronic 3H412</p>		
	<p>1 < 2% Sodium lauryl sulphate CAS: 15763-76-5, EC: 239-854-6 CLP: Warning: Eye Irrit 2H319</p>		
	<p>< 0,001 % Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9, List No. 611-341-5 CLP: Danger: Acute Tox (Inh) 2H330 Acute Tox (Skin) 2H310 Acute Tox (oral) 3H301 Skin Corr 1C H314 Eye Dam. 1H318 Skin Sens. 1AH317 Aquatic Acute 1H400 (M=100) Aquatic Chronic 1H410 (M=100) EUH071</p>	REACH: Exempt (biocide)	Autodclassified < REACH Index No. 613-167-005 < Atp13 (Note B)
	<p>Impurities: Does not contain other components or impurities which will influence the classification of the product.</p> <p>Solubilizers: None</p> <p>Reference to other sections: For more information on hazardous ingredients, see sections 8, 11, 12 and 16.</p> <p>SUBSTANCES OF VERY HIGH CONCERN (SVHC): # List updated by ECHA on 25/06/2020.</p> <p>Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006: None</p> <p>Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006: None</p> <p>PERSISTENT BIOACCUMULABLE AND TOXIC PBT OR VERY PERSISTENT AND VERYBIOACCUMULABLE VPvB SUBSTANCES: Does not contain substances that fulfill the PBT/vPvB criteria.</p>		



DÉTACHANT DÉGRAISSANT AQUAN®
Code: B10082T



SECTION 4 : FIRST AID MEASURES

4.1

DESCRIPTION OF FIRST AID MEASURES:



Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Lifeguards should pay attention to self-protection and use the recommended protective equipment if there is a possibility of exposure. Wear protective gloves when administering first aid.

Route of exposure	Symptoms and effects, acute and delayed	Description of first aid measures
<u>Inhalation:</u>	It is not expected that symptoms will occur under normal conditions of use.	Remove the patient out of the contaminated area into the fresh air. If breathing is irregular or stops, administer artificial respiration. If the person is unconscious, place in appropriate recovery position. Keep the patient warm and attend until medical attention arrives.
<u>Skin:</u>	Skin contact may cause slight redness.	Remove immediately contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser.
<u>Eyes:</u>	Contact with the eyes produces redness, pain and serious burns.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water for at least 15 minutes, holding the eyelids apart, until the irritation is reduced. Call a physician immediately.
<u>Ingestion:</u>	If swallowed, may cause irritation of the mouth, throat and oesophagus.	If swallowed, seek medical advice immediately and show container or label. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest.

4.2

MOST IMPORTANT SYMPTOMS AND EFFECTS BOTH ACUTE AND DELAYED:

The main symptoms and effects are indicated in sections 4.1 and 11.1

4.3

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

Notes to physician: Damage caused by detergents and tensioactive substances to intestinal mucosa is irreversible. Do not induce vomiting. Pump out stomach prior to the addition of dimeticon (antifrothing agent).

Antidotes and countermeasures: Specific antidote not known.

SECTION 5 : FIREFIGHTING MEASURES

5.1

EXTINGUISHING MEDIA:

In case of fire in the surroundings, all extinguishing agents are allowed.

5.2

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

As a consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide, sulfur oxides. Exposure to combustion or decomposition products may be a hazard to health.

5.3

ADVICE FOR FIREFIGHTERS:

Special protective equipment: Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection for chemical incidents.

Other recommendations: Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Avoid direct contact with this product.

6.2

ENVIRONMENTAL PRECAUTIONS:

Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations.

6.3

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc.). Keep the remains in a closed container.

6.4

REFERENCE TO OTHER SECTIONS:

For contact information in case of emergency, see section 1.

For information on safe handling, see section 7.

For exposure controls and personal protection measures, see section 8.

For waste disposal, follow the recommendations in section 13.



DÉTACHANT DÉGRAISSANT AQUAN[®]
Code: B10082T



SECTION 7 : HANDLING AND STORAGE

7.1	<p>PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work.</p> <p><u>General recommendations:</u> Avoid any type of leakage or escape. Keep the container tightly closed.</p> <p><u>Recommendations for the prevention of fire and explosion risks:</u> # The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environment in which it is, so it is not included in the scope of Directive 2014/34/EU concerning equipment and protective systems intended for use in potentially explosive atmospheres. Also they are not applicable the provisions of the ITC MEBT29 on the detailed requirements for electrical installations in locals with risk of fire or explosion.</p> <p><u>Recommendations for the prevention of toxicological risks:</u> Do not eat, drink or smoke while handling. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8.</p> <p><u>Recommendations for the prevention of environmental contamination:</u> Avoid any spillage in the environment. Pay special attention to the cleaning water. In the case of accidental spillage, follow the instructions indicated in section 6.</p>
	<p>CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of reach of children. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10.</p> <p><u>Class of storage:</u> : # According to current legislation.</p> <p><u>Maximum storage period:</u> : 12 months</p> <p><u>Temperature interval:</u> : min: 5.°C, max: 40.°C (recommended).</p> <p><u>Incompatible materials:</u> Keep away from oxidizing agents.</p> <p><u>Type of packaging:</u> According to current legislation.</p> <p><u>Limit quantity (Seveso III):</u> Directive 2012/18/EU: Not applicable (the classification criteria are not met).</p>
7.2	<p>SPECIFIC END USES: # For the use of this product particular recommendations apart from that already indicated are not available.</p>
7.3	



DÉTACHANT DÉGRAISSANT AQUAN[®]
Code: B10082T



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1

CONTROL PARAMETERS:

If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, workplace or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assessing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances. Reference

OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV)

AGCIH 2019	Year	TLV/TWA		TLV/STEL		Remarks
		ppm	mg/m ³	ppm	mg/m ³	
Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		-	0.080	-	0.23	Recommended

TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - Short Term Exposure Limit.

BIOLOGICAL LIMIT VALUES:

Not available

DERIVED NO-EFFECT LEVEL (DNEL):

Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidelines included in REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived by a process different of REACH.

Derived no-effect level, workers: - Systemic effects, acute and chronic: Alcohol C12-13 branched and linear ethoxylated(10) Sodium lauryl sulphate Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	DNEL Inhalation mg/m ³		DNEL Cutaneous mg/kg bw/d		DNEL Oral mg/kg bw/d	
	- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
	- (a)	53.6	- (a)	7.60	- (a)	- (c)
	- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
Derived no-effect level, workers: - Local effects, acute and chronic: Alcohol C12-13 branched and linear ethoxylated(10) Sodium lauryl sulphate Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	DNEL Inhalation mg/m ³		DNEL Cutaneous mg/m ²		DNEL Eyes mg/m ²	
	- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
	- (a)	- (c)	- (a)	- (c)	- (a)	- (c)
	- (a)	- (c)	- (a)	- (c)	- (a)	- (c)

Derived no-effect level, general population:

Not applicable (product for professional or industrial use).

(a) - Acute, short term exposure, (c) - Chronic, long term or repeated exposure.

(-) - DNEL not available (without data of registration REACH).


DÉTACHANT DÉGRAISSEANT AQUAN[®]
 Code: B10082T


PREDICTED NO-EFFECT CONCENTRATION (PNEC)			
<u>Predicted no effect concentration, aquatic organisms:</u> - Fresh water, marine water and intermittent release: Alcohol C12-13 branched and linearethoxylated(10) Sodium-p-cumenesulphonate Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	PNEC Fresh water mg/l - 0.230	PNEC Marine mg/l - -	PNEC Intermittent mg/l - 2.30
- Wastewater treatment plants(STP) and sediments in fresh- and marine water: Alcohol C12-13 branched and linearethoxylated(10) Sodium-p-cumenesulphonate Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	PNEC STP mg/l - 100.	PNEC Sediments mg/kg dwd - sr	PNEC Sediments mg/kg dwd - sr
<u>Predicted no effect concentration, terrestrial organisms:</u> - Air, soil and effects for predators and humans: Alcohol C12-13 branched and linearethoxylated(10) Sodium-p-cumenesulphonate Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	PNEC Air mg/m ³ - -	PNEC Soil mg/kg dwd - sr	PNEC Oral mg/kg dwd - n/b
(-) -PNEC not available (without data of registration REACH). sr - PNEC not derived (not identified hazard). n/b -PNEC not derived (not bioaccumulative potential).			

82

EXPOSURE CONTROLS:ENGINEERING MEASURES:

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.

Protection of respiratory system: Avoid the inhalation of product.Protection of eyes and face: Install watertaps, sources or eyewash bottles with clean water close to the working area.Protection of hands and skin: It is recommended to install watertaps or sources with clean water close to the working area. Barrier creams may help to protect the exposed areas of the skin. Barrier creams should not be applied once exposure has occurred.OCCUPATIONAL EXPOSURE CONTROLS: Regulation (EU)No. 2016/425:

As a general measure on prevention and safety in the workplace, we recommend the use of a basic personal protection equipment (PPE) with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc.) you should consult the informative brochures provided by the manufacturers of PPE.

<u>Mask:</u>		Mask for gases and vapours (EN14387). Class 1: low capacity up to 1000 ppm. Class 2: medium capacity up to 5000 ppm. Class 3: high capacity up to 10000 ppm. In order to obtain a suitable protection level, the filter class must be selected depending on the type and concentration of the contaminating agents present, in accordance with the specifications supplied by the filter producer.
<u>Safety goggles:</u>		Safety goggles with suitable lateral protection (EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.
<u>Face shield:</u>		No.
<u>Gloves:</u>		Gloves resistant against chemicals (EN374). When repeated or prolonged contact with the product is expected, gloves of protection level 5 or higher should be used, with a breakthrough time of >240 min. When short contact with the product is expected, use gloves with a protection level 2 or higher should be used, with a breakthrough time >30 min. The breakthrough time of the selected glove material should be in accordance with the pretended period of use. There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EN374. Due to the wide variety of circumstances and possibilities, the instructions/specifications provided by the glove supplier should be taken into account. The gloves should be immediately replaced when any sign of degradation is noted.
<u>Boots:</u>		No.
<u>Apron:</u>		No.
<u>Clothing:</u>		Advisable.

Thermal hazards:

Not applicable (the product is handled at room temperature).

ENVIRONMENTAL EXPOSURE CONTROLS:

Avoid any spillage in the environment.

Spills on the soil: Prevent contamination of soil.Spills in water: Do not allow to escape into drains, sewers or water courses.- Water Management Act: This product does not contain any substance included in the list of priority substances in the field of water policy under Directive 2000/60/EC ~ 2013/39/EU.Emissions to the atmosphere: Not applicable.



DÉTACHANT DÉGRAISSANT AQUAN[®]
Code: B10082T



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance</u>	:	Clear liquid.
- Physical state	:	
- Colour	:	Light, pale amber.
- Odour	:	Characteristic.
<u>pH value</u>	:	
- pH	:	7.5 ± 0.5 10 g/l at 20°C
<u>Change of state</u>	:	
- Initial boiling point	:	> 100* °C at 760 mmHg
<u>Density</u>	:	
- Relative density	:	1. at 20/4°C
<u>Stability</u>		Relative water
<u>Viscosity</u>		
<u>Volatility</u>		
- Evaporation rate	:	Not applicable
<u>Solubility</u>		
- Solubility in water:	:	Missible.
- Partition coefficient n-octanol/water	:	Not applicable (mixture).
<u>Flammability</u>		
- Flash point	:	Inflammable °C
- Upper/lower flammability or explosive limits	:	Not available
- Autoignition temperature	:	Not applicable (do not sustain combustion).
<u>Explosive properties</u>		
Not available.		
<u>Oxidizing properties</u>		
Not classified as oxidizing product.		

*Estimated values based on the substances composing the mixture.

9.2 OTHER INFORMATION:

- Solids	:	#	30. %Weight
----------	---	---	-------------

The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the corresponding technical data sheet. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12.

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY:

Corrosivity to metals: It is not corrosive to metals.

Pyrophoric properties: It is not pyrophoric.

10.2 CHEMICAL STABILITY:

Stable under recommended storage and handling conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Possible dangerous reaction with oxidizing agents.

10.4 CONDITIONS TO AVOID:

Heat: Keep away from sources of heat.

Light: If possible, avoid direct contact with sunlight.

Air: The product is not affected by exposure to air, but should not be left the container open.

Pressure: Not relevant.

Shock: The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.

10.5 INCOMPATIBLE MATERIALS:

Keep away from oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

As a consequence of thermal decomposition, hazardous products may be produced: sulfur oxides.


**DÉTACHANT DÉGRAISSANT AQUAN®
Code: B10082T**
**SECTION 11: TOXICOLOGICAL INFORMATION**

No experimental toxicological data on the preparation is available. The toxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU)No. 1272/2008-2020/217 (CLP).

11.1

INFORMATION ON TOXICOLOGICAL EFFECTS.**ACUTE TOXICITY****Dose and lethal concentrations****for individual ingredients:**

Alcohol C12:13 branched and linearethoxylated(10)

Sodium-p-aminessulphonate

Mixture CITEC 247:500-7 MTEC 220:239-6 (3:1)

LD50 (OECD 401)
mg/kg bw/oral

> 300. Rat
7000. Rat
75. Rat

LD50 (OECD 402)
mg/kg bw/dermal

> 2000. Rabbit
> 2000. Rabbit
140. Rat

LC50 (OECD 403)
mg/m³/4h inhalation

> 6410. Rat
> 1230. Rat
Estimates of acute toxicity (ATE)**for individual ingredients:**

Alcohol C12:13 branched and linearethoxylated(10)

Mixture CITEC 247:500-7 MTEC 220:239-6 (3:1)

ATE
mg/kg bw/oral

500.*
75.

ATE
mg/kg bw/dermal

-
140.

ATE
mg/m³/4h inhalation

-
1230.

(*)-Point estimates of acute toxicity corresponding to the classification category (see GHSCLP Table 3.1.2). These values are designed to be used in the calculation of the ATE for classification of a mixture based on its components and do not represent test results.

(-) - The components that are assumed to have no acute toxicity at the upper threshold of category 4 for the corresponding exposure route are ignored.

No observed adverse effect level

Not available

Lowest observed adverse effect level

Not available

INFORMATION ON LIKELY ROUTES OF EXPOSURE Acute toxicity.

Routes of exposure	Acute toxicity	Cat	Main effects, acute and/or delayed	Criteria
<u>Inhalation:</u> Not classified	ATE> 20000 mg/m³	-	Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).	GHSCLP 3.1.3.6.
<u>Skin:</u> Not classified	ATE> 2000 mg/kg bw	-	Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).	GHSCLP 3.1.3.6.
<u>Eyes:</u> Not classified	Not available	-	Not classified as a product with acute toxicity by eye contact (lack of data).	GHSCLP 12.5.
<u>Ingestion:</u> 	ATE: 1735. mg/kg bw	Cat4	HARMFUL: Harmful if swallowed.	GHSCLP 3.1.3.6.

GHSCLP3.1.3.6: Classification of mixtures based on ingredients of the mixture (additivity formula).

CORROSION/IRRITATION / SENSITISATION:

Dangerclass	Targetorgans	Cat	Main effects, acute and/or delayed	Criteria
<u>Respiratory corrosion/irritation:</u> Not classified	-	-	Not classified as a product corrosive or irritant by inhalation (based on available data, the classification criteria are not met).	GHSCLP 12.6. 3.8.3.4.
<u>Skin corrosion/irritation:</u> Not classified	-	-	Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).	GHSCLP 3.2.3.3.
<u>Serious eye damage/irritation:</u> 	Eyes	Cat1	DAMAGE: Causes serious eye damage.	GHSCLP 3.3.3.3.
<u>Respiratory sensitisation:</u> Not classified	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).	GHSCLP 3.4.3.3.
<u>Skin sensitisation:</u> Not classified	-	-	Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).	GHSCLP 3.4.3.3.

GHSCLP3.2.3.3: Classification of the mixture when data are available for all components or only for some components.

GHSCLP3.3.3.3: Classification of the mixture when data are available for all components or only for some components.

GHSCLP3.4.3.3: Classification of the mixture when data are available for all components or only for some components.

ASPIRATION HAZARD:

Dangerclass	Targetorgans	Cat	Main effects, acute and/or delayed	Criteria
<u>Aspiration hazard:</u> Not classified	-	-	Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met).	GHSCLP 3.10.3.3.

GHSCLP3.10.3.3: Classification of the mixture when data are available for all components or only for some components.



DÉTACHANT DÉGRAISSANT AQUAN®

Code: B10082T

SPECIFIC TARGET ORGAN TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

CMR EFFECTS:Carcinogenic effects: It is not considered as a carcinogenic product.Genotoxicity: It is not considered as a mutagenic product.Toxicity for reproduction: Does not harm fertility. Does not harm the unborn child.Effects via lactation: Not classified as a hazardous product for children breastfed.DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:Routes of exposure: Not available.Short-term exposure:Long-term/repeated exposure: Not available.INTERACTIVE EFFECTS:

Not available.

INFORMATION ABOUT TOXICOCEMICS, METABOLISM AND DISTRIBUTION:Dermal absorption: Not available.Basic toxicokinetics: Not available.ADDITIONAL INFORMATION:

Not available.

SECTION 12 : ECOLOGICAL INFORMATION

No experimental ecotoxicological data on the preparation as such is available. The ecotoxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008-2020/217 (CLP).

12.1	<u>TOXICITY:</u>						
	<u>Acute toxicity in aquatic environment for individual ingredients:</u> Sodium-p-aminosulphonate Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	<u>LC50 (OECD 203)</u> mg/l/96hours		<u>EC50 (OECD 202)</u> mg/l/48hours	<u>EC50 (OECD 201)</u> mg/l/72hours		
			> 1000. Fishes 0.19 Fishes		1020. Daphnia 0.16 Daphnia		
	<u>No observed effect concentration</u> Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		<u>NOEC (OECD 210)</u> mg/l/28days	<u>NOEC (OECD 211)</u> mg/l/21days	<u>NOEC (OECD 201)</u> mg/l/72hours		
<u>Lowest observed effect concentration</u> Not available							
<u>ASSESSMENT OF AQUATIC TOXICITY:</u>							
<u>Aquatic toxicity</u>		<u>Cat.</u>	<u>Main hazard to the aquatic environment</u>				
<u>Acute aquatic toxicity:</u> Not classified		-	Not classified as a hazardous product with acute toxicity to aquatic life (based on available data, the classification criteria are not met).				
<u>Chronic aquatic toxicity:</u>		Cat3	HARMFUL: Harmful to aquatic life with long lasting effects				
CLP4.1.3.5.3: Classification of a mixture for acute hazards based on summation of classified components. CLP4.1.3.5.4: Classification of a mixture for chronic (long term) hazards based on summation of classified components.							

12.2	<u>PERSISTENCE AND DEGRADABILITY</u>				
	<u>Biodegradability:</u>	The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation 648/2004/EC on detergents: Ultimate aerobic biodegradation > 60% within 28 days. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their request or at the request of a detergent manufacturer.			
	<u>Aerobic biodegradation for individual ingredients:</u> Alcohol C12-13 branched and linear ethoxylated(10) Sodium-p-aminosulphonate Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	<u>DQO</u> mgO2/g	<u>%DBODOO</u> 5 days/14 days/28 days	<u>Biodegradability</u>	
Note: Biodegradability data correspond to an average of data from various bibliographic sources.					

12.3	<u>Bioaccumulation</u> for individual ingredients: Alcohol C12-13 branched and linear ethoxylated(10) Sodium-p-aminosulphonate Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	<u>log Pow</u>	<u>BCF</u> L/kg	<u>Potential</u>	
	-1.10 0.750	3.2 (calculated)	No bioaccumulable No bioaccumulable Unlikely, low		



DÉTACHANT DÉGRAISSANT AQUAN®

Code: B10082T



12.4	<u>MOBILITY IN SOIL:</u> Not available.			
	<u>Mobility</u> <u>for individual ingredients:</u> Alcohol C12-13 branched and linear ethoxylated(10) Sodium-p-aminosulphonate Mixture CITEC 247:500-7 MIT EC 220:239-6 (3:1)	<u>log Poc</u> -1.49 0.450	<u>Constant of Henry</u> <u>Pa m³/mol 20°C</u>	<u>Potential</u> No bioaccumulable No bioaccumulable Unlikely, low
12.5	<u>RESULTS OF PBT AND VPH ASSESSMENT:</u> Annex XIII of Regulation (EC) no. 1907/2006: Does not contain substances that fulfill the PBT/vPvB criteria.			
12.6	<u>OTHER ADVERSE EFFECTS:</u> <u>Ozone depletion potential:</u> # Not applicable. <u>Photochemical ozone creation potential:</u> Not available. <u>Earth global warming potential:</u> Not available. <u>Endocrine disrupting potential:</u> Not available.			

SECTION 13 : DISPOSAL CONSIDERATIONS

13.1	<u>WASTE TREATMENT METHODS:</u> Directive 2008/98/EC - Regulation (EU) no. 1357/2014: Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for evaluation or recycling. Do not discharge into drains or the environment, dispose at an authorised waste collection point. Waste should be handled and disposed in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.
	<u>Disposal of empty containers:</u> Directive 94/62/EC - 2015/720/EU, Decision 2000/532/EC - 2014/955/EU: Emptied containers and packaging should be disposed in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification, in accordance with Chapter 15 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself.



DÉTACHANT DÉGRAISSANT AQUAN®
Code: B10082T



SECTION 14 : TRANSPORT INFORMATION

14.1	<u>UN NUMBER:</u> Not applicable
14.2	<u>UN PROPER SHIPPING NAME:</u> Not applicable
14.3	<p><u>TRANSPORT HAZARD CLASS(ES):</u></p> <p><u>Transport by road (ADR 2019) and</u> <u>Transport by rail (RID 2019):</u> Not regulated</p> <p><u>Transport by sea (IMDG 39-18):</u> Not regulated</p> <p><u>Transport by air (ICAO/IATA 2020):</u> Not regulated</p> <p><u>Transport by inland waterways (ADN):</u> Not regulated</p>
14.4	<u>PACKING GROUP:</u> Not regulated
14.5	<u>ENVIRONMENTAL HAZARDS:</u> Not applicable.
14.6	<u>SPECIAL PRECAUTIONS FOR USER:</u> Ensure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are upright and secure. Keep separated from foodstuffs.
14.7	<u>TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:</u> Not applicable.

SECTION 15 : REGULATORY INFORMATION

15.1	<p><u>EU SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC:</u> The regulations applicable to this product generally are listed throughout this Safety Data Sheet.</p> <p><u>Restrictions on manufacture, placing on market and use:</u> See section 1.2</p> <p><u>Trade warning of danger:</u> Not applicable (product for professional or industrial use).</p> <p><u>Child safety protection:</u> Not applicable (the classification criteria are not met).</p> <p><u>Specific legislation on detergents:</u> It is applicable the Regulation (EC) No. 648/2004-907/2006 on detergents. Contains anionic surfactants < 5 %, non-ionic surfactants 15-30 %, enzymes < 5 %, METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE Do not swallow.</p> <p><u>OTHER REGULATIONS:</u></p> <p><u>Control of the risks inherent in major accidents (Seveso III):</u> See section 7.2</p> <p><u>Other local legislations:</u> The receiver should verify the possible existence of local regulations applicable to the chemical.</p>
15.2	<p><u>CHEMICAL SAFETY ASSESSMENT:</u> A chemical safety assessment has not been carried out for this mixture.</p>



DÉTACHANT DÉGRAISSANT AQUAN®
Code: B10082T



SECTION 16 : OTHER INFORMATION

TEXT OF THE PHRASES AND NO TESTS REFERENCED IN SECTIONS 2 AND/OR 3:

Hazard statements according the Regulation (EU)No. 1272/2008-2020/217 (CLP Annex II):

H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract.

Notes related to the identification, classification and labelling of the substance:

Note B: Some substances are placed on the market in aqueous solutions at various concentrations and these solutions require different classification and labelling since the hazards vary at different concentrations.

EVALUATION OF THE INFORMATION ON THE DANGER OF MIXTURES: See sections 9.1, 11.1 and 12.1.

ADVICE ON ANY TRAINING APPROPRIATE FOR WORKERS:

It is recommended for all staff that will handle this product to carry out a basic training in occupational risk prevention, in order to provide understanding and interpretation of Safety Data Sheets and labelling of products as well.

MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:

- European Chemicals Agency, ECHA, <http://echa.europa.eu/>
- Access to European Union Law, <http://europa.eu/>
- Threshold Limit Values (ACGIH, 2018).

ABBREVIATIONS AND ACRONYMS:

List of abbreviations and acronyms that can be used (but not necessarily used) in this Safety Data Sheet:

- REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations.
- CLP: European regulation on Classification, Labelling and Packaging of substances and chemical mixtures.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- ELINCS: European List of Notified Chemical Substances.
- CAS: Chemical Abstracts Service (Division of the American Chemical Society).
- UVCL: Substances of Unknown or Variable composition, complex reaction products or biological materials.
- SVHC: Substances of Very High Concern.
- PBT: Persistent, bioaccumulative and toxic substances.
- vPvB: Very persistent and very bioaccumulative substances.
- DNEL: Derived No-Effect Level (REACH).
- PNEC: Predicted No-Effect Concentration (REACH).
- LD50: Lethal dose, 50 percent.
- LC50: Lethal concentration, 50 percent.
- UN: United Nations Organisation.
- ADR: European agreement concerning the international carriage of dangerous goods by road.
- RID: Regulations concerning the international transport of dangerous goods by rail.
- IMDG: International Maritime code for Dangerous Goods.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.

SAFETY DATA SHEET REGULATIONS

Safety Data Sheet in accordance with Article 31 of Regulation (EC)No. 1907/2006 (REACH) and Annex I of Regulation (EU)No.2015/830.

HISTORIC: Revision:

Version: 1	16/10/2017
Version: 2	05/11/2020

Changes since previous Safety Data Sheet:

Legislative, contextual, numerical, methodological and normative changes since the previous version of the present Safety Data Sheet are identified by a red italic hash (#).